

Environment Variables

Environment Variables

Field	Value
Distribution	WCT English — OpenC5ISR
Product	OpenC5ISR
Release	0.15.1
Deployment	openc5isr-en.wallacecorptech.com
Source	/srv/wct/releases/OpenC5ISR-v0.15.0
Evidence	Static environment-reference scan; values redacted
Source fingerprint	63d2b1097707e25d666401cdc6362e395968600a40a08690210cd8c0b75fbf50
Status	Generated baseline — human review required

“ **Verification boundary:** This page combines platform design guidance with static evidence from the release. It does not prove that every detected interface is enabled, reachable, secure, or operational in the deployed environment.

Observed variables

Variable	Secret-like	Observed default	Mechanism	Evidence
ADDRESS	No	—	interpolation	openrf/agent/functions/probe-n310.sh
AEGIS_SENTINEL_LABEL	No	COMPILED_DEPLOYMENT.aegisSentinelLabel).trim() COMPILED_DEPLOYMENT.aegisSentinelLabel	process.env	server.js tools/integrate_opensof_service_entries.py

Variable	Secret-like	Observed default	Mechanism	Evidence
ALT	No	—	shell	edge/openssa-sensor/install-demo-sensor.sh
ANTHROPIC_API_KEY	Yes	—	process.env	server.js lib/openllm/agents.js lib/openllm/providers.js
API	No	—	interpolation	open-cybersec/app.js public/open-cybersec/app.js public/open-llm/app.js
API_BASE	No	—	interpolation	open-rf/app.js public/open-networks/app.js public/open-rf/app.js
BACKUP_ROOT	No	—	shell	modules/open-networks/integration/install-module-files.sh
BASE	No	http://127.0.0.1:3000	shell, interpolation	DEPLOY-GODADDY.md OPENCYBERSEC-QUICKSTART.md OPENCYBERSEC.md UPGRADE-v0.14.0.md rocketchat/outgoing-webhook-test.sh scenarios/run_demo_sequence.sh
BASE_PATH	No	—	interpolation, shell	open-rf/app.js public/open-rf/app.js third_party/ontowiki/application/scripts/travis/install-services.sh
BLAZEGRAPH	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
BUILD	No	—	shell	edge/openpnt-linuxptp/SELF-TEST.sh edge/openssa-sensor/install/install-native-uhd.sh edge/openssa-sensor/native/uhd_spectrum_engine/build_simulation.sh edge/openssa-sensor/native/uhd_spectrum_engine/build.sh

Variable	Secret-like	Observed default	Mechanism	Evidence
BUILDPATH	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh
BUILD_DIR	No	\$ENGINE/build	interpolation	edge/openssa-sensor/install/install-native-uhd.sh edge/openssa-sensor/native/uhd_spectrum_engine/build-simulation.sh edge/openssa-sensor/native/uhd_spectrum_engine/build.sh
BUILD_ROOT	No	—	shell	edge/openpnt-linuxptp/install-linuxptp.sh
CATALINA_BASE	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
CATALINA_HOME	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
CFG	No	—	shell	edge/openssa-sensor/install-demo-sensor.sh
CONFIG	No	—	shell	drivers/install_openpnt_agent.sh edge/opencybersec/install.sh edge/openssa-sensor/install/check-sensor.sh edge/openssa-sensor/install/install-sensor.sh openrf/agent/functions/start-5g-ran-b210-50mhz.sh openrf/agent/functions/start-5g-ran-n78-n310.sh
CORE_DIR	No	—	shell	openrf/agent/functions/start-5g-core.sh openrf/agent/functions/status-5g-core.sh
CROSS_COMPILE	No	—	interpolation	third_party/openil_linuxptp/incdefs.sh
CURRENT	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh

Variable	Secret-like	Observed default	Mechanism	Evidence
DATA_DIR	No	path.join(ROOT	interpolation, process.env	OPENCYBERSEC-QUICKSTART.md OPENCYBERSEC.md RELEASE-MANIFEST-v0.14.0.json UPGRADE-v0.14.0.md server.js
DRIVER	No	—	shell	edge/openssa-sensor/install-demo-sensor.sh edge/openssa-sensor/install/check-sensor.sh edge/openssa-sensor/install/install-ubuntu-deps.sh
EF_STORE_ADAPTER	No	—	getenv, shell	third_party/ontowiki/application/classes/0ntoWiki/Test/IntegrationTestBootstrap.php
ENGINE	No	—	shell	edge/openssa-sensor/install/install-native-uhd.sh
ENV_FILE	No	—	shell	edge/opencybersec/install.sh
EOD_TECH_TARGET	No	@eodtech	process.env	server.js
EUID	No	\$(id -u	interpolation, shell	drivers/install_openpnt_agent.sh edge/opencybersec/install.sh edge/opencybersec/uninstall.sh edge/openpnt-linuxptp/install-linuxptp.sh edge/openpnt-linuxptp/uninstall-linuxptp.sh openrf/agent/install.sh
E_UNREACHABLE	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
FG_ROOT	No	—	shell	edge/openlvc/flightgear/opensof-lvc.xml
FOURSTORE	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh

Variable	Secret-like	Observed default	Mechanism	Evidence
FUSEKI	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
GNB	No	—	shell	openrf/agent/functions/start-5g-ran-b210-50mhz.sh openrf/agent/functions/start-5g-ran-n78-n310.sh
HERE	No	—	shell	edge/openpnt-linuxptp/SELF-TEST.sh edge/openpnt-linuxptp/install-linuxptp.sh edge/openssa-sensor/native/uhd_spectrum_engine/build-simulation.sh edge/openssa-sensor/native/uhd_spectrum_engine/build.sh examples/opencybersec/ingest-examples.sh scenarios/run_demo_sequence.sh
HOME	No	/tmp	process.env, shell	lib/openllm/pipeline-engine.js openrf/agent/functions/start-5g-core.sh openrf/agent/functions/status-5g-core.sh third_party/ontowiki/.travis.yml
HOST	No	0.0.0.0	process.env, interpolation	server.js lib/openrf-controller/server.js
INSTALL_DIR	No	—	shell	edge/opencybersec/install.sh
INSTANCE	No	—	shell	edge/openpnt-linuxptp/install-linuxptp.sh
ISQLFILE	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh
JOBS	No	—	shell	edge/openpnt-linuxptp/install-linuxptp.sh
KBUILD_OUTPUT	No	—	interpolation, shell	third_party/openil_linuxptp/incdefs.sh
KNOWLEDGE_NS	No	—	interpolation	server.js

Variable	Secret-like	Observed default	Mechanism	Evidence
LANG	No	C.UTF-8	process.env	lib/openllm/pipeline-engine.js
LAT	No	—	shell	edge/openssa-sensor/install-demo-sensor.sh
LON	No	—	shell	edge/openssa-sensor/install-demo-sensor.sh
MISSION_KNOWLEDGE_NS	No	—	interpolation	server.js
MOUNT_PATH	No	COMPILED_DEPLOYMENT.mountPath	process.env, interpolation	server.js
NATIVE_SOURCE	No	—	shell	edge/openssa-sensor/install/install-sensor.sh edge/openssa-sensor/install/update-existing-sensor.sh
NODE_ID	No	COMPILED_DEPLOYMENT.nodeId	process.env	server.js edge/openssa-sensor/lib/openssa.js lib/openssa.js
NS	No	—	interpolation	lib/openiia.js
OPENAAR_BATCH_SIZE	No	100	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_CLOCK_SOURCE	No	SYSTEM	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_MAX_SPOOL_MB	No	2048	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_NODE_ID	No	socket.gethostname()	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_RECONNECT_S	No	5	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_RECORDER_ID	No	f"EDGE-{socket.gethostname()}"	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_REPORT_INTERVAL_S	No	30	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_RUN_ID	No	—	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_SERVER	No	http://127.0.0.1:3000	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_SIGNING_KEY	Yes	[REDACTED]	process.env	server.js
OPENAAR_SITE	No	FIELD	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_SNAPSHOT_EVERY_EVENTS	No	100	process.env	server.js

Variable	Secret-like	Observed default	Mechanism	Evidence
OPENAAR_SNAPSHOT_INTERVAL_S	No	30	process.env	server.js
OPENAAR_SPOOL_DIR	No	/var/lib/openaar-edge	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_TIME_UNCERTAINTY_NS	No	0	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_TOPICS	No	—	os.getenv	drivers/openaar_edge_recorder.py
OPENAAR_TYPES	No	—	os.getenv	drivers/openaar_edge_recorder.py
OPENAI_API_KEY	Yes	—	process.env	server.js lib/openllm/providers.js
OPENANALYTICS_CONNECTOR_TIMEOUT_MS	No	60000	process.env	server.js
OPENBUS_API_TOKEN	Yes	[REDACTED]	shell, os.getenv, process.env, getenv, interpolation	OPENKNOWLEDGE-OPENTASK.md OPENLVC-DEMO.md OPENLVC-RTI.md demo_simulator.py server.js drivers/openaar_edge_recorder.py
OPENBUS_MAX_HISTORY	No	500	process.env	server.js
OPENCHAT_DEFAULT_TARGET	No	#eod-ops	process.env	server.js
OPENCOP_TRACK_URL	No	https://opencop.c24.ai/iroapp.ai/api/tracks	process.env	server.js
OPENCOP_UI_URL	No	BUILTIN_OPENCOP_UI_URL	process.env	server.js
OPENCYBERSEC_AGENT_TOKEN	Yes	[REDACTED]	shell, process.env, interpolation	OPENCYBERSEC-QUICKSTART.md OPENCYBERSEC.md server.js examples/opencybersec/ingest-examples.sh
OPENCYBERSEC_OPERATOR_TOKEN	Yes	[REDACTED]	shell, process.env, interpolation	OPENCYBERSEC-QUICKSTART.md OPENCYBERSEC.md server.js examples/opencybersec/ingest-examples.sh
OPENCYBERSEC_READ_TOKEN	Yes	—	process.env	server.js
OPENFILES_HEALTH_URL	No	—	process.env	server.js tools/integrate_opens_of_service_entries.py

Variable	Secret-like	Observed default	Mechanism	Evidence
<code>OPENFILES_PUBLIC_URL</code>	No	—	process.env	<code>tools/integrate_opens of_service_entries.py</code>
<code>OPENFILES_SERVICE_URL</code>	No	—	process.env	<code>server.js</code>
<code>OPENIIA_MAX_EVIDENCE_BYTES</code>	No	<code>12000000</code>	process.env	<code>server.js</code>
<code>OPENISAC_HEALTH_URL</code>	No	—	process.env	<code>server.js</code> <code>tools/integrate_opens of_service_entries.py</code>
<code>OPENISAC_PUBLIC_URL</code>	No	<code>https://bss.dev/live/ isac/</code>	process.env	<code>tools/integrate_opens of_service_entries.py</code>
<code>OPENISAC_SERVICE_URL</code>	No	—	process.env	<code>server.js</code>
<code>OPENKNOWLEDGE_EDITOR_TOKEN</code>	Yes	<code>[REDACTED]</code>	process.env	<code>server.js</code>
<code>OPENKNOWLEDGE_GRAPH</code>	No	<code>https://opensof.local /graph/core</code>	process.env	<code>server.js</code>
<code>OPENKNOWLEDGE_MODEL_FILE</code>	No	<code>path.join(DATA</code>	process.env	<code>server.js</code>
<code>OPENKNOWLEDGE_ONTOWIKI_URL</code>	No	—	process.env	<code>server.js</code>
<code>OPENKNOWLEDGE_SPARQL_ENDPOINT</code>	No	—	process.env	<code>server.js</code>
<code>OPENKNOWLEDGE_TIMEOUT_MS</code>	No	<code>8000</code>	process.env	<code>server.js</code>
<code>OPENLLM_AGENT_MAX_OUTPUT_BYTES</code>	No	—	process.env	<code>lib/openllm/agents.js</code>
<code>OPENLLM_AGENT_TIMEOUT_MS</code>	No	—	process.env	<code>lib/openllm/agents.js</code>
<code>OPENLLM_ALLOW_LOCAL_EXECUTION</code>	No	—	process.env	<code>lib/openllm/pipeline-engine.js</code>
<code>OPENLLM_ANTHROPIC_API_KEY</code>	Yes	<code>[REDACTED]</code>	process.env	<code>server.js</code> <code>lib/openllm/providers.js</code>
<code>OPENLLM_ANTHROPIC_URL</code>	No	<code>https://api.anthropic.com/v1').replace(/\/+\$/</code>	process.env	<code>lib/openllm/providers.js</code>
<code>OPENLLM_ANTHROPIC_VERSION</code>	No	<code>2023-06-01</code>	process.env	<code>lib/openllm/providers.js</code>
<code>OPENLLM_CLAUDE_BIN</code>	No	<code>claude</code>	process.env	<code>lib/openllm/agents.js</code>
<code>OPENLLM_CODEX_BIN</code>	No	<code>codex</code>	process.env	<code>lib/openllm/agents.js</code>
<code>OPENLLM_COMMAND_MODE</code>	No	<code>off').toLowerCase(</code>	process.env	<code>lib/openllm/pipeline-engine.js</code>
<code>OPENLLM_FALLBACK_WRITE_MAX_BYTES</code>	No	—	process.env	<code>lib/openllm/pipeline-engine.js</code>

Variable	Secret-like	Observed default	Mechanism	Evidence
OPENLLM_HEALTH_TIMEOUT_MS	No	—	process.env	lib/openllm/providers.js
OPENLLM_MAX_AUDIT	No	—	process.env	lib/openllm.js
OPENLLM_MAX_RUNS	No	—	process.env	lib/openllm/pipeline-engine.js
OPENLLM_MODEL_CACHE_TIMEOUT_MS	No	—	process.env	lib/openllm/providers.js
OPENLLM_OPENAI_API_KEY	Yes	[REDACTED]	process.env	server.js lib/openllm/providers.js
OPENLLM_OPENAI_URL	No	https://api.openai.com/v1').replace(/\/+\$/	process.env	lib/openllm/providers.js
OPENLLM_OPENBUS_SCHEMA	No	opensof.openbus.event/1.0	process.env	lib/openllm.js
OPENLLM_OPENWEBUI_API_KEY	Yes	[REDACTED]	process.env	server.js lib/openllm/providers.js
OPENLLM_OPENWEBUI_CHAT_PATH	No	/api/chat/completions	process.env	lib/openllm/providers.js
OPENLLM_OPENWEBUI_HEALTH_PATH	No	/health	process.env	lib/openllm/providers.js
OPENLLM_OPENWEBUI_MODELS_PATH	No	/api/models	process.env	lib/openllm/providers.js
OPENLLM_OPENWEBUI_URL	No	process.env.OPENWEBUI_URL	process.env	server.js lib/openllm/providers.js
OPENLLM_OPERATOR_TOKEN	Yes	[REDACTED]	process.env	server.js lib/openllm.js
OPENLLM_PROVIDER_TIMEOUT_MS	No	—	process.env	lib/openllm/providers.js
OPENLLM_QWEN_BIN	No	qwen	process.env	lib/openllm/agents.js
OPENLLM_SANDBOX_CPUS	No	2	process.env	lib/openllm/pipeline-engine.js
OPENLLM_SANDBOX_IMAGE	No	openc5isr-openllm-sandbox:0.1.0	process.env	lib/openllm/pipeline-engine.js
OPENLLM_SANDBOX_MEMORY	No	2g	process.env	lib/openllm/pipeline-engine.js
OPENLLM_SANDBOX_PIDS	No	256	process.env	lib/openllm/pipeline-engine.js
OPENLLM_WORKSPACES_DIRECTORY	No	path.join(ROOT	process.env	server.js
OPENLVC_FEDERATE	No	—	interpolation	edge/openlvc/systemd/openlvc-rti-gateway.service

Variable	Secret-like	Observed default	Mechanism	Evidence
OPENLVC_FEDERATION	No	—	interpolation	edge/openlvc/systemd/openlvc-rti-gateway.service
OPENLVC_HEALTH_URL	No	—	process.env	server.js tools/integrate_opens_of_service_entries.py
OPENLVC_PUBLIC_URL	No	—	process.env	tools/integrate_opens_of_service_entries.py
OPENLVC_RTI_SIDE CAR COMMAND	No	—	interpolation	edge/openlvc/systemd/openlvc-rti-gateway.service
OPENLVC_SERVICE_URL	No	—	process.env	server.js
OPENMAIL_HEALTH_URL	No	—	process.env	server.js tools/integrate_opens_of_service_entries.py
OPENMAIL_PUBLIC_URL	No	—	process.env	tools/integrate_opens_of_service_entries.py
OPENMAIL_SERVICE_URL	No	—	process.env	server.js
OPENNETWORKS_AGENT_SOCKET	No	/run/opennetworks/agent.sock	process.env	lib/open-networks/agent-client.js modules/open-networks/integration/native-server-example.js
OPENNETWORKS_AGENT_TIMEOUT_MS	No	120000	process.env	lib/open-networks/agent-client.js modules/open-networks/integration/native-server-example.js
OPENNETWORKS_BODY_LIMIT_BYTES	No	2 * 1024 * 1024	process.env	lib/open-networks/index.js
OPENNETWORKS_DATA_DIR	No	path.join(this.rootDir)	process.env	lib/open-networks/service.js modules/open-networks/integration/native-server-example.js
OPENNETWORKS_EXECUTION_MODE	No	simulate	process.env	lib/open-networks/service.js modules/open-networks/integration/native-server-example.js
OPENPNT_AGENT_TOKEN	Yes	[REDACTED]	os.getenv, process.env	drivers/openpnt_agent.py lib/openpnt.js

Variable	Secret-like	Observed default	Mechanism	Evidence
OPENPNT_BUILD_JOBS	No	<code>\$(getconf _NPROCESSORS_ONLN 2>/dev/null echo 2)</code>	interpolation	<code>edge/openpnt- linuxptp/install- linuxptp.sh</code>
OPENPNT_CLOCK_STALE_A FTER_S	No	—	process.env	<code>lib/openpnt- timing.js</code>
OPENPNT_LINUXPTP_BIN DIR	No	—	os.getenv	<code>drivers/openpnt_agent .py drivers/openpnt_linux ptp.py</code>
OPENPNT_NODE_ID	No	—	os.getenv	<code>drivers/openpnt_agent .py drivers/openpnt_linux ptp.py</code>
OPENPNT_POLL_SECONDS	No	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENPNT_POSITION_MAX_ AGE_S	No	—	process.env	<code>lib/openpnt.js</code>
OPENPNT_PTP_CONFIG	No	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENPNT_PTP_INSTANCE	No	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENPNT_PTP_INTERFACE	No	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENPNT_SERVER	No	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENPNT_SPOOL_FILE	No	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENPNT_TAI_UTC_OFFSE T_S	No	—	process.env	<code>lib/openpnt.js</code>
OPENPNT_TDOA_MAX_UNCE RTAINTY_NS	No	—	process.env	<code>lib/openpnt- timing.js</code>
OPENPNT_TDOA_MIN_SENS ORS	No	—	process.env	<code>lib/openpnt- timing.js</code>
OPENPNT_TOKEN	Yes	—	os.getenv	<code>drivers/openpnt_agent .py</code>
OPENRF_5G_CORE_DIR	No	<code>\$HOME/5g/magic-core</code>	interpolation	<code>openrf/agent/function s/start-5g-core.sh openrf/agent/function s/status-5g-core.sh</code>
OPENRF_AGENT_OFFLINE_ SECONDS	No	<code>70</code>	process.env	<code>lib/openrf- controller/server.js</code>
OPENRF_AGENT_TOKEN	Yes	<code>[REDACTED]</code>	process.env, shell	<code>server.js lib/openrf- controller/server.js openrf/API.md</code>
OPENRF_BASE_PATH	No	<code>/open-rf</code>	process.env	<code>lib/openrf- controller/server.js</code>

Variable	Secret-like	Observed default	Mechanism	Evidence
OPENRF_DATA_DIR	No	path.join(DATA	process.env	server.js lib/openrf-controller/server.js
OPENRF_DISPATCH_LEASE_SECONDS	No	90	process.env	lib/openrf-controller/server.js
OPENRF_OPERATOR_TOKEN	Yes	[REDACTED]	process.env, shell	server.js lib/openrf-controller/server.js openrf/API.md openrf/README-UPSTREAM-v0.3.0.md
OPENRF_PYTHON	No	/usr/bin/python3	os.getenv	openrf/agent/src/openrf_agent/util.py
OPENRF_RADIO_ADDRESS	No	192.168.20.2	interpolation	openrf/agent/functions/probe-n310.sh
OPENRF_RADIO_ID	No	N310-01	interpolation	openrf/agent/functions/start-5g-ran-n78-n310.sh
OPENRF_READ_TOKEN	Yes	—	process.env, shell	server.js lib/openrf-controller/server.js openrf/API.md
OPENSOF_BASE	No	http://127.0.0.1:3000	os.getenv	scenarios/run_openeyes_demo.py
OPENSOF_EVENT_URL	No	http://127.0.0.1:3000/api/event	os.getenv	demo_simulator.py
OPENSOF_ROOT	No	https://wallacecorptech.com/live/opensof	interpolation	examples/opencybersec/ingest-examples.sh
OPENSOF_URL	No	http://127.0.0.1:3000	shell, os.getenv, getenv, interpolation	OPENLVC-DEMO.md edge/openlvc/README.md edge/openlvc/dis_udp_bridge.py edge/openlvc/rti_openbus_gateway.py edge/openlvc/systemd/openlvc-ais-bridge.service edge/openlvc/systemd/openlvc-dis-bridge.service
OPENSSA_ACTIVE_TIMEOUT_S	No	900	process.env	server.js edge/openssa-sensor/SERVER_INTEGRATION.md edge/openssa-sensor/lib/openssa.js lib/openssa.js

Variable	Secret-like	Observed default	Mechanism	Evidence
OPENSsa_EMITTER_HISTORY_LIMIT	No	2000	process.env	edge/openssa-sensor/lib/openssa.js lib/openssa.js
OPENSsa_EMITTER_SIGHTING_LIMIT	No	500	process.env	edge/openssa-sensor/lib/openssa.js lib/openssa.js
OPENSsa_GEOLOCATION_HISTORY_LIMIT	No	100	process.env	edge/openssa-sensor/lib/openssa.js lib/openssa.js
OPENSsa_ITU_REGION	No	2	process.env	server.js edge/openssa-sensor/SERVER_INTEGRATION.md edge/openssa-sensor/lib/openssa.js lib/openssa.js
OPENSsa_LOCATION_PROFILE	No	—	os.getenv	edge/openssa-sensor/drivers/ssa_sensor.py
OPENSsa_SENSOR_TOKEN	Yes	[REDACTED]	process.env, os.getenv	server.js edge/openssa-sensor/SERVER_INTEGRATION.md edge/openssa-sensor/local_server.js edge/openssa-sensor/demo/run_streaming_demo.py edge/openssa-sensor/lib/openssa.js lib/openssa.js
OPENSsa_UHD_SPECTRUM_ENGINE	No	—	os.getenv	edge/openssa-sensor/drivers/ssa_sensor.py
OPENWEBUI_API_KEY	Yes	[REDACTED]	process.env	server.js lib/openllm/providers.js
OPENWEBUI_CHAT_PATH	No	/api/chat/completions	process.env	server.js
OPENWEBUI_DEFAULT_MODEL	No	—	process.env	server.js
OPENWEBUI_HEALTH_PATH	No	/health	process.env	server.js
OPENWEBUI_MODELS_PATH	No	/api/models	process.env	server.js
OPENWEBUI_URL	No	).replace(/\/+\$/)	process.env	server.js
OPEN_EYES_API_BASE	No	—	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_EYES_ASSET_ID	No	ISAC-RASPBOT-01	os.getenv	drivers/raspbot_openeyes_agent.py

Variable	Secret-like	Observed default	Mechanism	Evidence
OPEN_EYES_DEFAULT_ASSET	No	ISAC-RASPBOT-01	process.env	server.js
OPEN_EYES_HTTP_TIMEOUT	No	3	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_EYES_LOG_LEVEL	No	INFO	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_EYES_RECONNECT_DELAY	No	2	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_EYES_STATUS_INTERVAL	No	0.25	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_EYES_VERIFY_TLS	No	true	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_EYES_VIDEO_FPS	No	15	os.getenv	drivers/raspbot_openeyes_agent.py
OPEN_SOF	No	—	shell	OPENKNOWLEDGE-OPENTASK.md
OWHG	No	—	shell	third_party/ontowiki/application/scripts/makeRelease.sh
PATH	No	/usr/sbin:/usr/bin:/sbin:/bin	os.getenv, process.env, shell	edge/opencybersec/opencybersec_agent.py lib/openllm/pipeline-engine.js lib/openllm/util.js tests/openpnt_agent_smoke_test.py tests/openpnt_linuxptp_wrapper_smoke_test.py third_party/ontowiki/application/scripts/travis/install-services.sh
PHPVERSION	No	—	shell	third_party/ontowiki/application/scripts/travis/install-extensions.sh
PHP_	No	—	shell	third_party/ontowiki/application/scripts/travis/install-extensions.sh
PORT	No	3000	process.env, interpolation	server.js edge/openssa-sensor/local_server.js lib/openrf-controller/server.js
PUBLIC_BASE_URL	No	COMPILED_DEPLOYMENT.publicBaseUrl).replace(/\/+\$/	process.env, interpolation	server.js

Variable	Secret-like	Observed default	Mechanism	Evidence
PWD	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh
PYTHONUNBUFFERED	No	1	systemd	openrf/agent/systemd/openrf-agent.service
RASPBOT_BROWSER_WS_URL	No	—	process.env	server.js
RASPBOT_CONTROL_URL	No	—	process.env	server.js
RASPBOT_LOCAL_URL	No	http://127.0.0.1:6001	os.getenv	drivers/raspbot_openeyes_agent.py
RASPBOT_STREAM_URL	No	—	process.env	server.js
RASPBOT_WS_URL	No	—	os.getenv	drivers/raspbot_openeyes_agent.py
RES	No	—	interpolation	lib/openiia.js
RESULTFILE	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh
ROCKETCHAT_AUTH_TOKEN	Yes	[REDACTED]	process.env	server.js
ROCKETCHAT_BOT_USERNAME	No	openc5.bot	process.env	server.js
ROCKETCHAT_EMBED_URL	No	—	process.env	server.js
ROCKETCHAT_INCOMING_WEBHOOK_URL	No	—	process.env	server.js
ROCKETCHAT_OUTGOING_TOKEN	Yes	[REDACTED]	process.env, interpolation	server.js rocketchat/outgoing-webhook-test.sh
ROCKETCHAT_PUBLIC_URL	No	ROCKETCHAT_URL '').replace(/\./+\$/	process.env	server.js
ROCKETCHAT_URL	No	).replace(/\./+\$/	process.env, interpolation	server.js
ROCKETCHAT_USER_ID	No	—	process.env	server.js
ROLE	No	—	shell	edge/openssa-sensor/install-demo-sensor.sh

Variable	Secret-like	Observed default	Mechanism	Evidence
ROOT	No	—	shell	edge/opencybersec/install.sh edge/openpnt-linuxptp/SELF-TEST.sh edge/openpnt-linuxptp/install-linuxptp.sh edge/openssa-sensor/install-demo-sensor.sh edge/openssa-sensor/install/install-native-uhd.sh edge/openssa-sensor/install/install-sensor.sh
RUN_GROUP	No	—	shell	openrf/agent/install.sh
RUN_ID	No	—	shell	OPENCYBERSEC.md
RUN_USER	No	—	shell	openrf/agent/install.sh
SERVICE	No	—	shell	edge/opencybersec/install.sh
SERVICE_GROUP	No	—	shell	edge/openssa-sensor/install/install-sensor.sh edge/openssa-sensor/install/update-existing-sensor.sh
SERVICE_USER	No	—	shell	edge/openssa-sensor/install/install-sensor.sh edge/openssa-sensor/install/update-existing-sensor.sh
SESAME	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
SITE_ID	No	COMPILED_DEPLOYMENT.siteId	process.env	server.js edge/openssa-sensor/lib/openssa.js lib/openssa.js
SOURCE	No	—	shell	edge/openpnt-linuxptp/install-linuxptp.sh
SOURCE_ROOT	No	—	shell	modules/open-networks/integration/install-module-files.sh
SRC	No	—	shell	drivers/install_openpnt_agent.sh

Variable	Secret-like	Observed default	Mechanism	Evidence
SSA_API	No	—	interpolation	edge/openssa-sensor/public/open-ssa/app.js open-ssa/app.js public/open-ssa/app.js
STAMP	No	—	shell	modules/open-networks/integration/install-module-files.sh
STICKER	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh
STICKERBEGIN	No	—	shell	third_party/ontowiki/application/scripts/vad/prepare.sh
SUDO_USER	No	\$USER	interpolation	edge/openssa-sensor/install/install-sensor.sh edge/openssa-sensor/install/update-existing-sensor.sh openrf/agent/install.sh
SUITE_VERSION	No	—	interpolation	server.js tools/integrate_opens of_service_entries.py
TARGET_ROOT	No	—	shell	modules/open-networks/integration/install-module-files.sh
TASK	No	—	shell	rocketchat/outgoing-webhook-test.sh
TOKEN	Yes	—	shell	edge/openssa-sensor/install-demo-sensor.sh rocketchat/outgoing-webhook-test.sh
TOMCAT_VERSION	No	—	shell	third_party/ontowiki/application/scripts/travis/install-services.sh
TRACK_API	No	—	interpolation	integrations/opencop-openeyes/patched-static/map.js
TRAVIS_PHP_VERSION	No	—	shell	third_party/ontowiki/application/scripts/travis/install-extensions.sh third_party/ontowiki/application/scripts/travis/install-services.sh

Variable	Secret-like	Observed default	Mechanism	Evidence
<code>UHD_INCLUDE_DIRS</code>	No	—	interpolation	<code>edge/openssa-sensor/native/uhd_spectrum_engine/CMakeLists.txt</code>
<code>UHD_LIBRARIES</code>	No	—	interpolation	<code>edge/openssa-sensor/native/uhd_spectrum_engine/CMakeLists.txt</code>
<code>USER</code>	No	—	shell	<code>edge/openssa-sensor/SENSOR_INSTALL.md</code> <code>edge/openssa-sensor/install-demo-sensor.sh</code> <code>edge/openssa-sensor/install/install-sensor.sh</code> <code>edge/openssa-sensor/install/update-existing-sensor.sh</code> <code>openrf/README-UPSTREAM-v0.3.0.md</code> <code>third_party/ontowiki/application/scripts/travis/install-services.sh</code>
<code>VIRTTMP</code>	No	—	shell	<code>third_party/ontowiki/application/scripts/vad/prepare.sh</code>
<code>VIRTUOSO</code>	No	—	shell	<code>third_party/ontowiki/application/scripts/travis/install-services.sh</code>
<code>VIRTUOSO_T</code>	No	—	shell	<code>third_party/ontowiki/application/scripts/vad/prepare.sh</code>
<code>WORK</code>	No	—	shell	<code>edge/openssa-sensor/install-demo-sensor.sh</code>

Configuration policy

- Store edition-specific configuration outside the immutable release directory.
- Do not store passwords, tokens, private keys or complete credentials in BookStack, source control, command history or URLs.
- Document variable purpose, valid values, default behavior, reload/restart requirement and owning service.
- Use separate secrets per distribution/instance and rotate them through a recorded procedure.

- Validate required variables before service start and fail clearly instead of silently selecting unsafe defaults.
-

Maintainer Notes

Add human-reviewed deployment notes, corrections, decisions, screenshots, and links here. Content outside the generated block is preserved on future runs.

Revision #1

Created 2026-08-28 15:04:51 UTC by Nexus Ops Administrator

Updated 2026-08-28 15:04:51 UTC by Nexus Ops Administrator